

Treatment of Postpartum Haemorrhage

44 articles identified (referenced to July 2008)

Review Articles

Anderson JM, Etches D. Prevention and management of postpartum hemorrhage. *American Family Physician* 2007;**75**:875-82. [\[LINK\]](#)

Bechard dS. [Use of misoprostol in gynecology and obstetrics]. *Gynecol.Obstet.Fertil.* 2002;**30**:317-24. [\[LINK\]](#)

Blum J. Alfirevic Z. Walraven G. Weeks A. Winikoff B. Treatment of postpartum hemorrhage with misoprostol. *International Journal of Gynaecology & Obstetrics.* **99** Suppl 2:S202-5, 2007 Dec.

Bradley SE. Prata N. Young-Lin N. Bishai DM. Cost-effectiveness of misoprostol to control postpartum hemorrhage in low-resource settings. *International Journal of Gynaecology & Obstetrics.* **97**(1):52-6, 2007 Apr.

El Refaey H, Rodeck C. Post-partum haemorrhage: definitions, medical and surgical management. A time for change. *Br.Med.Bull.* 2003;**67**:205-17. [\[LINK\]](#)

Godard C. Berhoune M. Bertrand E. Schlatter J. Chiadmi F. Toledano A. Cisternino S. Fontan JE. [Misoprostol for treating postpartum hemorrhages]. [French] *Presse Medicale.* **37**(3 Pt 2):477-84, 2008 Mar.

Goldberg AB, Greenberg MB, Darney PD. Drug therapy: Misoprostol and pregnancy. *New England Journal of Medicine* 2001;**344**:38-47. [\[LINK\]](#)

Hofmeyr GJ, Walraven G, Gulmezoglu AM, Maholwana B, Alfirevic Z, Villar J. Misoprostol to treat postpartum haemorrhage: a systematic review. *BJOG.* 2005;**112**:547-53. [\[LINK\]](#)

Jadesimi A, Okonofua FE. Tackling the unacceptable: Nigeria approves misoprostol for postpartum haemorrhage. *J.Fam.Plann.Reprod.Health Care* 2006;**32**:213-4. [\[LINK\]](#)

Lalonde A, Daviss BA, Acosta A, Herschderfer K. Postpartum hemorrhage today: ICM/FIGO initiative 2004-2006. *Int.J.Gynaecol.Obstet.* 2006;**94**:243-53. [\[LINK\]](#)

Langer B, Boudier E, Haberstick R, Dreyfus M. [Obstetrical management in the event of persistent or worsening postpartum hemorrhage despite initial measures]. *J.Gynecol.Obstet.Biol.Reprod.(Paris)* 2004;**33**:4S73-9. [\[LINK\]](#)

Lokugamage AU, Refaey HE, Rodeck CH. Misoprostol and pregnancy: ever-increasing indications of effective usage. *Curr.Opin.Obstet.Gynecol.* 2003;**15**:513-8. [\[LINK\]](#)

Miller S, Lester F, Hensleigh P. Prevention and treatment of postpartum hemorrhage: new advances for low-resource settings. *J.Midwifery Womens Health* 2004;**49**:283-92. [\[LINK\]](#)

Mousa HA,Alfirevic Z. Treatment for primary postpartum haemorrhage. *Cochrane.Database.Syst.Rev.* 2003;CD003249. [\[LINK\]](#)

Tessier V.,Pierre F. [Risk factors of postpartum hemorrhage during labor and clinical and pharmacological prevention]. *J.Gynecol.Obstet.Biol.Reprod.(Paris)* 2004;**33**:4S29-56. [\[LINK\]](#)

Zust S, Hosli I, Surbek D, Holzgreve W. [Adverse effects of misoprostol in pregnancy]. *Z.Geburtshilfe Neonatol.* 2001;**205**:43-8. [\[LINK\]](#)

Clinical Studies

Randomised Controlled Trials

Hofmeyr GJ, Ferreira S, Nikodem VC, Mangesi L, Singata M, Jafta Z *et al.* Misoprostol for treating postpartum haemorrhage: a randomized controlled trial [ISRCTN72263357]. *BMC.Pregnancy.Childbirth.* 2004;**4**:16. [\[LINK\]](#)

Lokugamage AU, Sullivan KR, Niculescu I, Tigere P, Onyangunga F, El Refaey H *et al.* A randomized study comparing rectally administered misoprostol versus Syntometrine combined with an oxytocin infusion for the cessation of primary post partum hemorrhage. *Acta Obstet.Gynecol.Scand.* 2001;**80**:835-9. [\[LINK\]](#)

Rogers MS, Yuen PM, Wong S. Avoiding manual removal of placenta: evaluation of intra-umbilical injection of uterotonics using the Pipingas technique for management of adherent placenta. *Acta Obstet.Gynecol.Scand.* 2007;**86**:48-54. [\[LINK\]](#)

Schaff EA, DiCenzo R, Fielding SL. Comparison of misoprostol plasma concentrations following buccal and sublingual administration. *Contraception* 2005;**71**:22-5. [\[LINK\]](#)

Walraven G, Dampha Y, Bittaye B, Sowe M, Hofmeyr J. Misoprostol in the treatment of postpartum haemorrhage in addition to routine management: a placebo randomised controlled trial. *BJOG.* 2004;**111**:1014-7. [\[LINK\]](#)

Walraven G, Blum J, Dampha Y, Sowe M, Morison L, Winikoff B *et al.* Misoprostol in the management of the third stage of labour in the home delivery setting in rural Gambia: a randomised controlled trial. *BJOG.* 2005;**112**:1277-83. [\[LINK\]](#)

Observational Studies

Abdel-Aleem H, El Nashar I, Abdel-Aleem A. Management of severe postpartum hemorrhage with misoprostol. *Int.J.Gynaecol.Obstet.* 2001;**72**:75-6. [\[LINK\]](#)

Adekanmi OA, Purmessur S, Edwards G, Barrington JW. Intrauterine misoprostol for the treatment of severe recurrent atonic secondary postpartum haemorrhage. *BJOG.* 2001;**108**:541-2. [\[LINK\]](#)

Baruah M, Cohn GM. Efficacy of rectal misoprostol as second-line therapy for the treatment of primary postpartum hemorrhage. *Journal of Reproductive Medicine.* **53**(3):203-6, 2008 Mar.

Bjornerem A, Acharya G, Oian P, Maltau JM. [Postpartum hemorrhage--prophylaxis and treatment in Norway]. *Tidsskr.Nor Laegeforen.* 2002;**122**:2536-7. [\[LINK\]](#)

Choo WL, Chua S, Chong YS, Vanaja K, Oei PL, Ho LM *et al.* Correlation of change in uterine activity to blood loss in the third stage of labour. *Gynecol.Obstet.Invest* 1998;**46**:178-80. [\[LINK\]](#)

de Vaate AB, Coleman R, Manneh H, Walraven G. Knowledge, attitudes and practices of trained traditional birth attendants in the Gambia in the prevention, recognition and management of postpartum haemorrhage. *Midwifery* 2002;**18**:3-11. [\[LINK\]](#)

Li YT, Yin CS, Chen FM. Rectal administration of misoprostol for the management of retained placenta--a preliminary report. *Zhonghua Yi.Xue.Za Zhi.(Taipei)* 2001;**64**:721-4. [\[LINK\]](#)

Nikolov A, Dimitrov A, Krusteva K, Tsankova M. [The efficacy of the misoprostol in cases of abnormal and pathologic hypotonic hemorrhage in the early puerperium]. *Akush.Ginekol.(Sofia)* 2006;**45**:16-9. [\[LINK\]](#)

O'Brien P, El Refaey H, Gordon A, Geary M, Rodeck CH. Rectally administered misoprostol for the treatment of postpartum hemorrhage unresponsive to oxytocin and ergometrine: a descriptive study. *Obstet.Gynecol.* 1998;**92**:212-4. [\[LINK\]](#)

Oboro VO, Tabowei TO, Bosah JO. Intrauterine misoprostol for refractory postpartum hemorrhage. *Int.J.Gynaecol.Obstet.* 2003;**80**:67-8. [\[LINK\]](#)

Ozan H, Bilgin T, Ozsarac N, Ozerkan K, Cengiz C. Misoprostol in uterine atony: a report of 2 cases. *Clin.Exp.Obstet.Gynecol.* 2000;**27**:221-2. [\[LINK\]](#)

Prata N, Mbaruku G, Campbell M, Potts M, Vahidnia F. Controlling postpartum hemorrhage after home births in Tanzania. *Int.J.Gynaecol.Obstet.* 2005;**90**:51-5. [\[LINK\]](#)

Shojai R, Piechon L, d'Ercole C, Boubli L, Ponties JE. [Rectal administration of misoprostol for delivery induced hemorrhage. Preliminary study]. *J.Gynecol.Obstet.Biol.Reprod.(Paris)* 2001;**30**:572-5. [\[LINK\]](#)

Shojai R, Desbriere R, Dhifallah S, Courbiere B, Ortega D, d'Ercole C *et al.* [Rectal misoprostol for postpartum hemorrhage]. *Gynecol.Obstet.Fertil.* 2004;**32**:703-7. [\[LINK\]](#)

Cost-effectiveness

Bradley SE, Prata N, Young-Lin N, Bishai DM. Cost-effectiveness of misoprostol to control postpartum hemorrhage in low-resource settings. *Int.J.Gynaecol.Obstet.* 2007;**97**:52-6. [\[LINK\]](#)

Pharmacology

Schaff EA, DiCenzo R, Fielding SL. Comparison of misoprostol plasma concentrations following buccal and sublingual administration. *Contraception* 2005;**71**:22-5. [\[LINK\]](#)

Zust S, Hosli I, Surbek D, Holzgreve W. [Adverse effects of misoprostol in pregnancy]. *Z.Geburtshilfe Neonatol.* 2001;**205**:43-8. [\[LINK\]](#)

Basic Science

No articles identified

Politics/ Licensing/ Ethics

Potts M, Campbell M. Three meetings and fewer funerals--misoprostol in postpartum haemorrhage. *Lancet* 2004;**364**:1110-1. [\[LINK\]](#)

Editorials/ Letters/ Opinions

Olufowobi O, Afnan M, Sorinola O, Papaioannou S, Sharif K. A randomized study comparing rectally administered misoprostol versus syntometrine combined with an oxytocin infusion for the cessation of primary postpartum hemorrhage (letter). *Acta Obstet.Gynecol.Scand.* 2002;**81**:993. [\[LINK\]](#)

Lokugamage AU, Sullivan KR, Moodley J, Rodeck CH. Misoprostol for the treatment of postpartum hemorrhage (authors' response). *Acta Obstetrica et Gynecologica Scandinavica* 2002;**81**:994. [\[LINK\]](#)

Ramsey PS,.Ramin KD. Rectally administered misoprostol for the treatment of postpartum hemorrhage unresponsive to oxytocin and ergometrine: a descriptive study (letter). *Obstet.Gynecol.* 1999;**93**:157-8. [\[LINK\]](#)

O'Brien P. Rectally administered misoprostol for the treatment of postpartum hemorrhage unresponsive to oxytocin and ergometrine: A descriptive study. Authors' response). *Obstetrics and Gynecology* 1999;**93**:157-8. [\[LINK\]](#)

Unspecified

No articles identified